		Hil
	Application No.	Applicant(s)
	10/658,857	KRUPKE, WILLIAM F.
Notice of Allowability	Examiner	Art Unit
	Leith A. Al-Nazer	2821
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Ref	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is s	n this application. If not included unication will be mailed in due course. THIS
. This communication is responsive to <u>amendment filed on 2</u>	<u>21 November 2005</u> .	
2. ⊠ The allowed claim(s) is/are <u>1-18</u> .		
Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have	- , , , ,	or (f).
Certified copies of the priority documents have Certified copies of the priority documents have		n No
3. ☐ Copies of the certified copies of the priority do	• •	
International Bureau (PCT Rule 17.2(a)).	odinente nave been received	an this national stage application from the
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. ■ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give in CORRECTED DRAWINGS (as "replacement sheets") must be submitted. ■ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.	MENT of this application. iitted. Note the attached EXA es reason(s) why the oath or st be submitted.	AMINER'S AMENDMENT or NOTICE OF declaration is deficient.
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or	in the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the header according to 37 CF	ne drawings in the front (not the back) of R 1.121(d).
DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.
ttochment(c)		
Attachment(s) . ☑ Notice of References Cited (PTO-892)	5. Notice of Inf	formal Patent Application (PTO-152)
. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),
. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	98), 7. ☐ Examiner's	Mail Date Amendment/Comment
. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allowance
·- g··························	9. 🗌 Other	

WILSON LEE PRIMARY EXAMINER Application/Control Number: 10/658,857 Page 2

Art Unit: 2821

DETAILED ACTION

Drawings

- The replacement drawings for figures 1-3 were received on 21 November 2005.
 These drawings are not acceptable.
- 2. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the replacement drawings for figures 1-3 filed on 21 November 2005 do not include the labels "Figure 1", "Figure 2", and "Figure 3", respectively. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

- 3. Claims 1-18 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to teach or suggest one or more of the limitations found in independent claims 1 and 16-18. U.S. Patent No. 3,816,754 to Hodgson et al., U.S. Patent No. 4,807,240 to Goldstone, U.S. Patent No. 4,151,486 to Itzkan et al., U.S. Patent No. 5,283,800 to Suzuki et al., and U.S. Patent No. 6,331,993 to Brown all teach

Application/Control Number: 10/658,857

Art Unit: 2821

metal vapor laser configurations. However, the above cited references, as well as the other prior art of record, do not teach a laser emission wavelength of $\lambda(D_1)$ corresponding to a D_1 transition of the alkali vapor utilized, respectively. Konefal teaches a configuration for observing the luminescence of an alkali vapor with an emission wavelength of $\lambda(D_1)$ corresponding to a D_1 transition. However, Konefal uses a narrow spectrum width pump diode. Therefore, Konefal, as well as the other prior art of record, fails to teach or suggest the wide spectral pump range of 1 nm to 6 nm as is required by independent claims 1 and 16-18. As a result, independent claims 1 and 16-18, as well as all respective dependent claims, are allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Communication Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leith A. Al-Nazer whose telephone number is 571-272-1938. The examiner can normally be reached on Monday-Friday, 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571-272-1834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/658,857

Art Unit: 2821

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LA

WILSON LEE PRIMARY EXAMINER

Page 4